


AKYAPAK

SRH - 3500

Stock no. :1022-E05041

MACHINE-DATA

Machinetype	: Rotary Welding Table - Round Surface
Make	: AKYAPAK
Type	: SRH - 3500
Year	: Neu / New
Control type	: conventional
Control	:
Storage location	: Türkei
Origin	: Turkey
Delivery time	: approx. 8 - 10 weeks
Quotation	: ex manufacturer's works
Price	: on request



TECHNICAL DATA

table diameter	960 mm
table load	3,5 t
swivelling range	0 - 110° deg.
table rotating	360° deg.
table turning speeds	0,1 - 0,9 U/min
height adjustment	1070 - 1800 mm
table drive	1,1 kW
hydraulic motor	1,5 kW
weight of the machine ca.	1,5 t
dimensions of the machine ca.	2,35 x 1,35 x 1,80 m

TECHNICAL DESCRIPTION

Hydraulic Welding Positioner

- Adjustable rotating speed
- Remote controller with 5 meter cable length
- Digital speed indicator on the controller panel for monitoring rotation
- Mechanical angle indicator (for tilting)

Rotary Welding Table - Round Surface



AKYAPAK

SRH - 3500

Stock no. :1022-E05041

- 1 Year warranty

VIDEO-LINKS

WEB-LINK

<http://mhp.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1022-E05041>

Rotary Welding Table - Round Surface



AKYPAK

SRH - 3500

Stock no. :1022-E05041



SRH

TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER

S/N	MODEL	Technical details (English) Teknik detaylar (İngilizce)												Technical details (Turkish) Teknik detaylar (Türkçe)											
		Horizontal rotation speed (°/min) Horizontal Dönüşüm Hızı (°/dk)						Vertical rotation speed (°/min) Vertical Dönüşüm Hızı (°/dk)						Horizontal rotation speed (°/min) Horizontal Dönüşüm Hızı (°/dk)						Vertical rotation speed (°/min) Vertical Dönüşüm Hızı (°/dk)					
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
1	SRH-500	500	150	150	0.115	380	0.25	0.1	1	715	6.60	1950	390	1050	530										
2	SRH-1000	1000	150	150	0.115	380	0.25	1.1	0.1	1	600	6.60	2350	1070	1350	530									
3	SRH-2500	2500	150	150	0.110	380	1.1	1.5	0.1	0.9	960	6.60	2400	1270	1710	1080	850	1350	530						
4	SRH-7000	7000	150	150	0.110	380	2.2	2.2	0.1	0.9	1300	5.72	2800	1940	1740	850	1350	530							
5	SRH-15000	15000	150	150	0.90	380	4	4	0.1	0.9	1600	6.60	3500	1900	2030	1135	1950	530							
6	SRH-25000	25000	150	150	0.90	380	5.5	5.5	0.1	0.8	2000	6.45	4000	1800	2030	1300	2100	530							
7	SRH-35000	35000	150	150	0.90	380	7.5	7.5	0.1	0.8	2000	6.45	4000	1800	2030	1300	2200	530							

Technical details and information subject to amendments and errors.