




AKYAPAK

SRH - 7000

Stock no. :1022-E05044

MACHINE-DATA

Machinetype	: Rotary Welding Table - Round Surface
Make	: AKYAPAK
Type	: SRH - 7000
Year	: Neu / New
Control type	: conventional
Control	:
Storage location	: Türkei
Origin	: Turkey
Delivery time	: approx. 8 - 10 weeks
Quotation	: ex manufacturer's works
Price	: on request



TECHNICAL DATA

table diameter	1300 mm
table load	7,0 t
swivelling range	0 - 110° deg.
table rotating	360° deg.
table turning speeds	0,18 - 1 U/min
height adjustment	1040 - 1740 mm
table drive	2,2 kW
hydraulic motor	5,5 kW
weight of the machine ca.	3,5 t
dimensions of the machine ca.	2,80 x 1,55 m

TECHNICAL DESCRIPTION

Hydraulic welding rotating and tilting table.

- Adjustable speed
- Remote control with a cable length of 5 meters
- Digital speed display on the control panel for monitoring the rotation
- Motors with brakes



AKYAPAK

SRH - 7000

Stock no. :1022-E05044

-
- Mechanical angle display (for tilting)
 - 1 Year warranty

VIDEO-LINKS

WEB-LINK

<http://mhp.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1022-E05044>

Rotary Welding Table - Round Surface



AKYPAK

SRH - 7000

Stock no. :1022-E05044



SRH		TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER											
S/N	MODEL	Technical details (English)											
		Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)	Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)	Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)	Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)	Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)	Horizontal rotation speed (°/min)	Vertical rotation speed (°/min)
1	SRH-500	500	150	150	0.115	380	0.05	0.75	0.1	1	715	6.60	1950
2	SRH-1000	1000	150	150	0.115	380	0.05	1.1	0.1	1	900	6.60	1950
3	SRH-2500	2500	150	150	0.110	380	1.1	1.5	0.1	0.9	960	6.60	2350
4	SRH-7000	7000	150	150	0.110	380	2.2	2.2	0.1	0.9	1300	5.72	2800
5	SRH-15000	15000	150	150	0.90	380	4	4	0.1	0.9	1600	6.60	3500
6	SRH-25000	25000	150	150	0.90	380	5.5	5.5	0.1	0.8	2000	6.45	4000
7	SRH-35000	35000	150	150	0.90	380	7.5	7.5	0.1	0.8	2000	6.45	4000