

PITTLER

PV 4000 / 1-2

Stock no. :1022-E06322

MACHINE-DATA

Machinetype : Vertical Turret Lathe - Double Column
Make : PITTLER
Type : PV 4000 / 1-2
Year : 2018
Control type : CNC
Control : Siemens 840 D sl
Storage location : Deutschland
Origin : Germany
Delivery time : Immediately
Quotation : ex foundation
Price : on request



TECHNICAL DATA

faceplate diameter	3500 mm
swing diameter	3800 mm
turning height	750 mm
Control	Siemens 840 D sl

TECHNICAL DESCRIPTION

CNC vertical lathe with one turning spindle and two tool carriers on two cross slides

The machine has been regularly serviced by the manufacturer and is in mint condition.

Technical specifications:

Max. swing diameter 3800 mm

Max. working height 750 mm

Slide travel X1 axis approx. 2800 mm

Slide travel X2 axis approx. 3200 mm

Slide travel Z axis 1000 mm



PITTLER

PV 4000 / 1-2

Stock no. :1022-E06322

Rapid traverse X/Z axis 32/20 m/min.
Faceplate (turning spindle unit with motor spindle):
Speed 100 rpm
Torque 67,000 Nm at 40% duty cycle
Drive power 200 kW at 100% duty cycle
Load capacity (chuck, clamping jaws, and workpiece) 35,000 kg
Tool carrier:
Double tool holder, Capto C8
For internal and external machining
Speed range up to 6000 rpm.
Torque approx. 120 Nm at 100% duty cycle
Direct coolant supply to the tool holders
Double tool holder with swivel axis
For turning and drilling (MFU) in conjunction with a tool magazine

Equipment:
CNC control Siemens 840 D sl
Chuck Röhmm lever chuck KFG 3500/3/6/12
25-station tool magazine, left of the work area
41-station tool magazine, right of the work area
Max. tool diameter 150 mm
Max. tool weight 20 kg
Tool length 400 mm
Tool cleaning with air
Chip conveyor
Coolant system 6 bar, 80 l/min.
Knoll paper belt filter
High-pressure coolant pump 70 bar

VIDEO-LINKS




WEB-LINK

<http://mhp.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1022-E06322>

PITTLER

PV 4000 / 1-2

Stock no. :1022-E06322



Technical details and information subject to amendments and errors.

Knops Werkzeugmaschinen GmbH & Co. KG

Page: 3/3