



AKYAPAK

SRP - 5

Stock no. :1022-E05047

MACHINE-DATA

Machinetype : Rotary Welding Table - Round Surface
Make : AKYAPAK
Type : SRP - 5
Year : Neu / New
Control type : conventional
Control :
Storage location : Türkei
Origin : Turkey
Delivery time : to be discussed
Quotation : ex manufacturer's works
Price : on request



TECHNICAL DATA

table diameter	1525 mm
table load	5,0 t
swivelling range	135° deg.
table rotating	360° deg.
table turning speeds	0,05 - 1 U/min
table drive	1,5 kW
weight of the machine ca.	2,6 t
dimensions of the machine ca.	1,80 x 1,54 x 1,20 m

TECHNICAL DESCRIPTION

Adjustable rotating speed
Remote controller with 5 meter cable length
Digital speed indicator on the controller panel for monitoring rotation
Welding – chassis mechanism
Mechanical angle indicator (for tilting movement)
Motors with brake & forced fan cooling

Rotary Welding Table - Round Surface



AKYAPAK

SRP - 5

Stock no. :1022-E05047

VIDEO-LINKS

WEB-LINK

<http://mhp.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1022-E05047>




AKYAPAK

SRP - 5

Stock no. :1022-E05047

SRP - CONVENTIONAL POSITIONERS
AYARLI KAYNAK POZİSYONERİ



SRP		TECHNICAL SPECIFICATIONS / TEKNİK ÖZELLİKLER																
S/N	MODEL	Mekanik ve Elektrik Özellikleri											Yükseklik (mm)	Geniřlik (mm)	Derinlik (mm)	Ağırlık (kg)		
		A	B	C	D	E	F	G	H	I	J	K					L	M
1	SRP-05	150	100	100	80	300	0.18	0.05	0.4	25	30	500	570	700	800	950	700	600
2	SRP-05	500	300	100	135	300	0.35	0.05	0.17	0.58	30	700	640	805	1350	950	800	600
3	SRP-1	1000	350	150	135	300	0.55	0.05	0.14	1	30	520	640	845	1300	950	800	600
4	SRP-2	2000	350	150	135	300	0.75	0.05	0.16	1	45	1050	640	805	1800	1310	1210	600
5	SRP-3	3000	350	150	135	300	1.1	0.05	1	145	1250	640	1000	1800	1310	1200	600	
6	SRP-5	5000	300	120	135	300	1.5	2.2	0.2	1	34	1250	640	1015	1800	1310	1040	600
7	SRP-10	10000	800	280	120	300	2.2	4.0	0.19	0.84	75	1650	640	1410	2050	2125	1885	600
8	SRP-15	15000	500	150	135	300	3	5.5	0.035	0.7	110	2200	640	1475	3200	1240	2250	600
9	SRP-20	20000	500	150	135	300	4	5.5	0.035	0.7	150	2400	640	1525	3300	1230	2650	600
10	SRP-25	25000	250	250	135	300	5.5	7.5	0.015	0.5	220	2940	1230	1650	3800	1300	2940	600
11	SRP-40	40000	200	200	0	300	7.5	0	0	0	3500	845	3500	3800	3500	3500	600	

Technical details and information subject to amendments and errors.